

### Manufacturer:

**Amphenol Fiber Optic Products** 

### **Product Name:**

Amphenol 905 SMA Connector, 375μm (micron) Stainless Steel Ferrule, Stepped Backshell, Hex Nut

# **Manufacturer Part Number:**

905-154-50375-P



Click here for more details on the Amphenol 905 SMA Connector, 375µm (micron) Stainless Steel Ferrule, Stepped Backshell, Hex Nut



Contact the professionals at Fiber Optic Center for a quote or to get more details.




## Manufacturer:

**Amphenol Fiber Optic Products** 

### **Product Name:**

Amphenol 905 SMA Connector, 375µm (micron) Stainless Steel Ferrule, Stepped Backshell, Hex Nut





Click here for more details on the Amphenol 905 SMA Connector, 375µm (micron) Stainless Steel Ferrule, Stepped Backshell, Hex Nut

	45
1	-50
Ц	

# **Features and Benefits:**

- Ouick connection and removal
- Over 200 standard versions available with customizable boots, caps, and more
- Optional unassembled components for laser manufacturers
- Clip used to attach the coupling nut to the ferrule body

- Reach and RoHS compliant
- ▶ Boots available without logos
- ▶ Bodies and ferrules made from Stainless Steel 303/304

- ▶ Male and multimode connectors
- Configurable with hex or knurled nuts, dust caps, and boots
- Ferrule sizes available in high quantities

**Meets QA Standards:** 

REACH 240 Compliant RoHS Certificate of Compliance









## **Manufacturer:**

**Amphenol Fiber Optic Products** 

## **Product Name:**

Amphenol 905 SMA Connector, 375µm (micron) Stainless Steel Ferrule, Stepped Backshell, Hex Nut

# **Manufacturer Part Number:**

905-154-50375-P



Click here for more details on the Amphenol 905 SMA Connector, 375μm (micron) Stainless Steel Ferrule, Stepped Backshell, Hex Nut

## **SMA Stainless Steel Ferrule**

Part Number: (XXXX =hole size in microns)	Product Name	Special Design Features	Attachment Method	Ferrule Length	Ferrule OD	Crimp Ferrule
905-154-5XXXX	CONN, SMA XXXXum, Aluminum Crimp, no boot	Longer Rear Body, Crimps onto body	Crimp	9.855 +.025/025 mm (.388±.001")	3.167 + .005/ - 0.002 mm (.1247 +.0001/0001 ")	Yes

Part Number: (XXXX =hole size in microns)	Product Name	Coupling Nut Material	Coupling Nut Type	Boot Diameter	Boot Logo	Сар Туре	Cap Slit
905-154-5XXXX	CONN, SMA XXXXum, Aluminum Crimp, no boot	Nickel Plated Brass	Knurled	Boot sold separately	N/A	T Style	No