

# Manufacturer:

ÅngströmLap®



ÅngströmBrush® Aluminum Oxide Flock Pile Lapping Film Disc - 5 inch 1µm (micron)

## **Manufacturer Part Number:**

AA1MFPS502N50

Click here for more details on the ÅngströmBrush® Aluminum Oxide Flock Pile Lapping Film Disc - 5 inch 1µm (micron)

### PRODUCT SPECIFICATIONS:

## **Description by Application**

FO Type Name: AA1-MFPS

Color: Brown

## **Abrasive Type**

Particle Type: Aluminum Oxide

Grit Size: 1 µm

## **Base Film Type**

## **Flock Pile**

Pile Material: Nylon

Pile Diameter: 1 d

Pile Length: 0.4 mm

#### Flock Pile

Base Film Material: Poly-ethylene terephthalate

Base Film Thickness: 2 mil (50 µm)



Learn More



#### **Manufacturer:**

ÅngströmLap®

#### **Product Name:**

ÅngströmBrush® Aluminum Oxide Flock Pile Lapping Film Disc - 5 inch 1µm (micron)

## **Manufacturer Part Number:**

AA1MFPS502N50

Click here for more details on the ÅngströmBrush® Aluminum Oxide Flock Pile Lapping Film Disc - 5 inch 1µm (micron)

#### PRODUCT SPECIFICATIONS:

**Unit:** Standard packaging of 50

<u>Roll</u> - Product that has already been slit down for samples or to product specifications requested by the customer. This specification standard covers tapes for various applications.

<u>Disc</u> – Product that has been slit down into rolls then die cut into circular discs to conform to customer specified sizes. This specification standard covers discs for various applications

<u>Sheet</u> – Product that has been slit down into rolls then sheet cut into rectangular sheets to conform to customer specified sizes. This specification standard covers sheets for various applications

#### **Description:**

Example: AA1-MFPS

Abrasive Material	Average Grit Size	Process Type
AA	1	MFPS
Aluminum Oxide	1 μm	Flock Pile Type

#### **Lot Description:**

Indicated by 10 digits number.

Automatic numbering by enterprise resource planning system.

Example: 0000012345

## **Product Specifications:**

Mipox product standards are specified by the abrasive film Surface roughness and the total thickness diameter and length.

#### **Storage Environment:**

Temperature: 10 to 50 centigrade

Humidity: 20 to 80%

Product Life: Mipox product life is guaranteed up to 5 years from the manufactured date

**Recommended Usage:** Usage amounts are conservative estimates and may vary based on individual conditions. Please contact Fiber Optic Center to optimize these usage numbers. Specifications subject to change without notice.



Contact the professionals at Fiber Optic Center for a quote or to get more details.

Learn More






**Manufacturer:** ÅngströmLap®

#### **Product Name:**

ÅngströmBrush® Aluminum Oxide Flock Pile Lapping Film Disc - 5 inch 1µm (micron)

# **Manufacturer Part Number:** AA1MFPS502N50

Click here for more details on the ÅngströmBrush® Aluminum Oxide Flock Pile Lapping Film Disc - 5 inch 1µm (micron)





Contact the professionals at Fiber Optic Center for a quote or to get more details.