


# SAFETY DATA SHEET (SDS)



**Manufacturer:**  
Epoxy Technology

**Product Name:**  
EPO-TEK® 383ND High Temperature Epoxy, Heat Cure - Pre-Mixed and Frozen (3cc Syringe)

**Manufacturer Part Number:**  
ET383ND-3CC

▶ Click here for more details on the EPO-TEK® 383ND High Temperature Epoxy, Heat Cure - Pre-Mixed and Frozen (3cc Syringe)

Revision date: 2/12/2016

Revision: 1



## SAFETY DATA SHEET EPO-TEK 383ND PMF Syringe

### 1. Identification

#### Product identifier

Product name EPO-TEK 383ND PMF Syringe  
Product number 383ND

#### Recommended use of the chemical and restrictions on use

Application Adhesive.

#### Details of the supplier of the safety data sheet

Supplier Epoxy Technology, Inc.  
14 Fortune Drive  
Billerica, MA 01821  
USA  
(978) 667-3805  
(978) 663-9782  
www.epotek.com, SDS@epotek.com

#### Emergency telephone number

Emergency telephone +1 (800) 255-3924, +1 (813) 248-0585

### 2. Hazard(s) identification

#### Classification of the substance or mixture

Physical hazards Not Classified  
Health hazards Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317  
Environmental hazards Aquatic Chronic 2 - H411

#### Label elements

##### Pictogram



##### Signal word

Danger

##### Hazard statements

H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H411 Toxic to aquatic life with long lasting effects.

##### Precautionary statements

P264 Wash contaminated skin thoroughly after handling.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
P302+P352 If on skin: Wash with plenty of water.  
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P501 Dispose of contents/ container in accordance with national regulations.

Data is subject to change without notice.


**Contact the professionals at Fiber Optic Center for a quote or to get more details.**

23 Centre Street • New Bedford, MA 02740 USA • [focenter.com](http://focenter.com)

508-992-6464 | (800) 473-4237 • [sales@focenter.com](mailto:sales@focenter.com)



# SAFETY DATA SHEET (SDS)



**Manufacturer:**  
Epoxy Technology

**Product Name:**  
EPO-TEK® 383ND High Temperature Epoxy, Heat Cure - Pre-Mixed and Frozen (3cc Syringe)

**Manufacturer Part Number:**  
ET383ND-3CC

▶ Click here for more details on the EPO-TEK® 383ND High Temperature Epoxy, Heat Cure - Pre-Mixed and Frozen (3cc Syringe)

Revision date: 2/12/2016

Revision: 1

## EPO-TEK 383ND PMF Syringe

**Contains** Epoxy Phenol Novolac, Imidazole Blend

**Other hazards**

**Hazards not otherwise classified (HNOC)** Contains epoxy constituents. May produce an allergic reaction.

### 3. Composition/information on ingredients

**Mixtures**

Epoxy Phenol Novolac CAS number: 9003-36-5	60-100%
<b>Classification</b> Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 Aquatic Chronic 2 - H411	
Imidazole Blend CAS number: Proprietary	5-10%
<b>Classification</b> Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Dam. 1 - H318	

The Full Text for all Hazard Statements are Displayed in Section 16.

### 4. First-aid measures

**Description of first aid measures**

<b>Inhalation</b>	Remove victim to fresh air and keep at rest in a position comfortable for breathing. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Get medical attention if symptoms are severe or persist. Never give anything by mouth to an unconscious person.
<b>Ingestion</b>	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Rinse nose and mouth with water. Give plenty of water to drink. Do not induce vomiting unless under the direction of medical personnel. Get medical attention if symptoms are severe or persist. Never give anything by mouth to an unconscious person.
<b>Skin Contact</b>	Rinse immediately with plenty of water. Wash skin thoroughly with soap and water or use an approved skin cleanser. Continue to rinse for at least 10 minutes. Do not use organic solvents. Take off contaminated clothing and wash it before reuse. Get medical attention if symptoms are severe or persist after washing.
<b>Eye contact</b>	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if symptoms are severe or persist after washing.

**Most important symptoms and effects, both acute and delayed**

<b>Inhalation</b>	Inhalation of dust during cutting, grinding or sanding operations involving this product may cause irritation of the respiratory tract. Gas or vapor in high concentrations may irritate the respiratory system.
-------------------	--

Data is subject to change without notice.


**Contact the professionals at Fiber Optic Center for a quote or to get more details.**

23 Centre Street • New Bedford, MA 02740 USA • [focenter.com](http://focenter.com)

508-992-6464 | (800) 473-4237 • [sales@focenter.com](mailto:sales@focenter.com)



# SAFETY DATA SHEET (SDS)



**Manufacturer:**  
Epoxy Technology

**Product Name:**  
EPO-TEK® 383ND High Temperature Epoxy, Heat Cure - Pre-Mixed and Frozen (3cc Syringe)

**Manufacturer Part Number:**  
ET383ND-3CC

▶ Click here for more details on the EPO-TEK® 383ND High Temperature Epoxy, Heat Cure - Pre-Mixed and Frozen (3cc Syringe)

Revision date: 2/12/2016

Revision: 1

## EPO-TEK 383ND PMF Syringe

**Ingestion** May cause discomfort if swallowed.  
**Skin contact** Causes skin irritation. May cause sensitisation by skin contact.  
**Eye contact** Causes serious eye damage.

### Indication of immediate medical attention and special treatment needed

**Notes for the doctor** Treat symptomatically.

### 5. Fire-fighting measures

#### Extinguishing media

**Suitable extinguishing media** Dry chemicals. Foam. Carbon dioxide (CO2).

#### Special hazards arising from the substance or mixture

**Hazardous combustion products** Thermal decomposition or combustion products may include the following substances: Oxides of carbon.

#### Advice for firefighters

**Protective actions during firefighting** Avoid breathing fire gases or vapors. Use water to keep fire exposed containers cool and disperse vapors.

**Special protective equipment for firefighters** Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

### 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

**Personal precautions** Provide adequate ventilation. Wear protective clothing as described in Section 8 of this safety data sheet. Keep unnecessary and unprotected personnel away from the spillage. Avoid contact with skin and eyes.

#### Environmental precautions

**Environmental precautions** Avoid discharge to the aquatic environment.

#### Methods and material for containment and cleaning up

**Methods for cleaning up** Stop leak if safe to do so. Eliminate all sources of ignition. Absorb spillage with sand or other inert absorbent. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

**Reference to other sections** For personal protection, see Section 8.

### 7. Handling and storage

#### Precautions for safe handling

**Usage precautions** Handle all packages and containers carefully to minimize spills. Wear protective clothing as described in Section 8 of this safety data sheet.

**Advice on general occupational hygiene** Provide eyewash station. Do not eat, drink or smoke when using this product. Wash promptly if skin becomes contaminated. Wash after use and before eating, smoking and using the toilet. Wash contaminated clothing before reuse. Use appropriate skin cream to prevent drying of skin.

#### Conditions for safe storage, including any incompatibilities

**Storage precautions** Store at -40 degrees C. Keep container tightly sealed when not in use.

#### Specific end uses(s)

Data is subject to change without notice.


**Contact the professionals at Fiber Optic Center for a quote or to get more details.**

23 Centre Street • New Bedford, MA 02740 USA • [focenter.com](http://focenter.com)

508-992-6464 | (800) 473-4237 • [sales@focenter.com](mailto:sales@focenter.com)



# SAFETY DATA SHEET (SDS)



**Manufacturer:**  
Epoxy Technology

**Product Name:**  
EPO-TEK® 383ND High Temperature Epoxy, Heat Cure - Pre-Mixed and Frozen (3cc Syringe)

**Manufacturer Part Number:**  
ET383ND-3CC

▶ Click here for more details on the EPO-TEK® 383ND High Temperature Epoxy, Heat Cure - Pre-Mixed and Frozen (3cc Syringe)

Revision date: 2/12/2016

Revision: 1

## EPO-TEK 383ND PMF Syringe

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

### 8. Exposure Controls/personal protection

Ingredient comments No exposure limits known for ingredient(s).

#### Exposure controls

##### Protective equipment



Appropriate engineering controls Provide adequate general and local exhaust ventilation.

Eye/face protection Wear tight-fitting, chemical splash goggles or face shield.

Hand protection It is recommended that chemical-resistant, impervious gloves are worn.

Other skin and body protection Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures Provide eyewash station. Do not smoke in work area. Wash promptly if skin becomes contaminated. Wash after use and before eating, smoking and using the toilet. Wash contaminated clothing before reuse. Use appropriate skin cream to prevent drying of skin.

Respiratory protection If ventilation is inadequate, suitable respiratory protection must be worn.

### 9. Physical and Chemical Properties

#### Information on basic physical and chemical properties

Appearance	Liquid.
Color	Colorless to pale yellow.
Odor	Mild.
Flash point	> 93°C
Evaporation rate	< BuAc
Vapor density	> Air
Solubility(ies)	Slightly soluble in water.
Other information	None.

### 10. Stability and reactivity

Reactivity The following materials may react with the product: Strong oxidizing agents. Strong reducing agents.

Stability Stable at normal ambient temperatures and when used as recommended.

Possibility of hazardous reactions May polymerize.

Conditions to avoid Avoid excessive heat for prolonged periods of time.

Materials to avoid Strong acids. Strong oxidizing agents. Strong reducing agents.

Data is subject to change without notice.


**Contact the professionals at Fiber Optic Center for a quote or to get more details.**

23 Centre Street • New Bedford, MA 02740 USA • [focenter.com](http://focenter.com)

508-992-6464 | (800) 473-4237 • [sales@focenter.com](mailto:sales@focenter.com)



# SAFETY DATA SHEET (SDS)



**Manufacturer:**  
Epoxy Technology

**Product Name:**  
EPO-TEK® 383ND High Temperature Epoxy, Heat Cure - Pre-Mixed and Frozen (3cc Syringe)

**Manufacturer Part Number:**  
ET383ND-3CC

▶ Click here for more details on the EPO-TEK® 383ND High Temperature Epoxy, Heat Cure - Pre-Mixed and Frozen (3cc Syringe)

Revision date: 2/12/2016

Revision: 1

## EPO-TEK 383ND PMF Syringe

**Hazardous decomposition products** Thermal decomposition or combustion products may include the following substances: Oxides of carbon.

### 11. Toxicological information

#### Information on toxicological effects

**Inhalation** Gas or vapor in high concentrations may irritate the respiratory system. Inhalation of dust during cutting, grinding or sanding operations involving this product may cause irritation of the respiratory tract.

**Ingestion** May cause discomfort if swallowed.

**Skin Contact** Causes skin irritation. May cause sensitization by skin contact.

**Eye contact** Causes serious eye damage.

### 12. Ecological Information

**Ecotoxicity** Toxic to aquatic life with long lasting effects.

#### Toxicity

**Acute toxicity - fish** Not available.

#### Persistence and degradability

**Persistence and degradability** No data available.

#### Bioaccumulative potential

**Bio-Accumulative Potential** No data available on bioaccumulation.

#### Mobility in soil

**Mobility** No data available.

#### Other adverse effects

**Other adverse effects** Not known.

### 13. Disposal considerations

#### Waste treatment methods

**Disposal methods** Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

### 14. Transport information

#### UN Number

**UN No. (DOT)** 3082

**UN No. (TDG)** 3082

**UN No. (IMDG)** 3082

**UN No. (ICAO)** 3082

#### UN proper shipping name

Data is subject to change without notice.


**Contact the professionals at Fiber Optic Center for a quote or to get more details.**

23 Centre Street • New Bedford, MA 02740 USA • [focenter.com](http://focenter.com)

508-992-6464 | (800) 473-4237 • [sales@focenter.com](mailto:sales@focenter.com)



# SAFETY DATA SHEET (SDS)



**Manufacturer:**  
Epoxy Technology

**Product Name:**  
EPO-TEK® 383ND High Temperature Epoxy, Heat Cure - Pre-Mixed and Frozen (3cc Syringe)

**Manufacturer Part Number:**  
ET383ND-3CC

▶ Click here for more details on the EPO-TEK® 383ND High Temperature Epoxy, Heat Cure - Pre-Mixed and Frozen (3cc Syringe)

Revision date: 2/12/2016

Revision: 1

## EPO-TEK 383ND PMF Syringe

**Proper shipping name (DOT)** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS Epoxy Phenol Novolac)

**Proper shipping name (TDG)** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS Epoxy Phenol Novolac)

**Proper shipping name (IMDG)** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS Epoxy Phenol Novolac)

**Proper shipping name (ICAO)** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS Epoxy Phenol Novolac)

### Transport hazard class(es)

TDG class 9

TDG label 9

IMDG Class 9

ICAO class/division 9

### Transport labels



### Packing group

DOT pack group III

TDG Packing Group III

IMDG packing group III

ICAO packing group III

### Environmental hazards

Environmentally Hazardous Substance



### Special precautions for user

EmS F-A, S-F

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

### 15. Regulatory information

**Regulatory References** Proprietary information protected pursuant to WTO's Agreement on Trade-Related Aspects of Intellectual Property Rights (TRIPS), Section 7, Art. 39.

### US Federal Regulations

SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities  
None of the ingredients are required to be listed.

Data is subject to change without notice.


**Contact the professionals at Fiber Optic Center for a quote or to get more details.**

23 Centre Street • New Bedford, MA 02740 USA • [focenter.com](http://focenter.com)

508-992-6464 | (800) 473-4237 • [sales@focenter.com](mailto:sales@focenter.com)



# SAFETY DATA SHEET (SDS)



**Manufacturer:**  
Epoxy Technology

**Product Name:**  
EPO-TEK® 383ND High Temperature Epoxy, Heat Cure - Pre-Mixed and Frozen (3cc Syringe)

**Manufacturer Part Number:**  
ET383ND-3CC

▶ [Click here for more details on the EPO-TEK® 383ND High Temperature Epoxy, Heat Cure - Pre-Mixed and Frozen \(3cc Syringe\)](#)

Revision date: 2/12/2016

Revision: 1

## EPO-TEK 383ND PMF Syringe

**CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)**  
None of the ingredients are required to be listed.

**SARA Extremely Hazardous Substances EPCRA Reportable Quantities**  
None of the ingredients are required to be listed.

**SARA 313 Emission Reporting**  
None of the ingredients are required to be listed.

**CAA Accidental Release Prevention**  
None of the ingredients are required to be listed.

**OSHA Highly Hazardous Chemicals**  
None of the ingredients are required to be listed.

### US State Regulations

**California Proposition 65 Carcinogens and Reproductive Toxins**  
None of the ingredients are required to be listed.

**California Air Toxics "Hot Spots" (A-I)**  
None of the ingredients are required to be listed.

**California Air Toxics "Hot Spots" (A-II)**  
None of the ingredients are required to be listed.

**Massachusetts "Right To Know" List**  
None of the ingredients are required to be listed.

**Rhode Island "Right To Know" List**  
None of the ingredients are required to be listed.

**Minnesota "Right To Know" List**  
None of the ingredients are required to be listed.

**New Jersey "Right To Know" List**  
None of the ingredients are required to be listed.

**Pennsylvania "Right To Know" List**  
None of the ingredients are required to be listed.

### Inventories

**EU - EINECS/ELINCS**  
Some of the ingredients are listed or exempt.

**Canada - DSL/NDSL**  
All the ingredients are listed or exempt.

**US - TSCA**  
All the ingredients are listed or exempt.

**US - TSCA 12(b) Export Notification**  
None of the ingredients are listed or exempt.

**Australia - AICS**  
All the ingredients are listed or exempt.

Data is subject to change without notice.


**Contact the professionals at Fiber Optic Center for a quote or to get more details.**

23 Centre Street • New Bedford, MA 02740 USA • [focenter.com](http://focenter.com)

508-992-6464 | (800) 473-4237 • [sales@focenter.com](mailto:sales@focenter.com)



# SAFETY DATA SHEET (SDS)



**Manufacturer:**  
Epoxy Technology

**Product Name:**  
EPO-TEK® 383ND High Temperature Epoxy, Heat Cure - Pre-Mixed and Frozen (3cc Syringe)

**Manufacturer Part Number:**  
ET383ND-3CC

▶ Click here for more details on the EPO-TEK® 383ND High Temperature Epoxy, Heat Cure - Pre-Mixed and Frozen (3cc Syringe)

Revision date: 2/12/2016

Revision: 1

## EPO-TEK 383ND PMF Syringe

Japan - MITI

All the ingredients are listed or exempt.

Korea - KECI

All the ingredients are listed or exempt.

China - IECSC

All the ingredients are listed or exempt.

Philippines - PICCS

All the ingredients are listed or exempt.

### 16. Other information

Revision date	2/12/2016
Revision	1
Hazard statements in full	H302 Harmful if swallowed. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H411 Toxic to aquatic life with long lasting effects.

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Epoxy Technology, Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Epoxy Technology, Inc. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Data is subject to change without notice.

**Contact the professionals at Fiber Optic Center for a quote or to get more details.**

23 Centre Street • New Bedford, MA 02740 USA • [focenter.com](http://focenter.com)

508-992-6464 | (800) 473-4237 • [sales@focenter.com](mailto:sales@focenter.com)

