

Manufacturer:

Epoxy Technology

Product Name:

EPO-TEK® HYB-353ND High Temperature Epoxy, Hybrid Heat & UV Cure - Pre-Mixed and Frozen (3cc Syringe)

Manufacturer Part Number:

ETHYB-353ND-3CC

Click here for more details on the EPO-TEK® HYB-353ND High Temperature Epoxy, Hybrid Heat & UV Cure - Pre-Mixed and Frozen (3cc Syringe)



SAFETY DATA SHEET EPO-TEK® HYB-353ND PMF Syringe

1. Identification

Product identifier

Product name EPO-TEK® HYB-353ND PMF Syringe

Product number HYB-353ND

Recommended use of the chemical and restrictions on use

Application Adhesive.

Details of the supplier of the safety data sheet

Supplier Epoxy Technology, Inc.

14 Fortune Drive Billerica, MA 01821 USA

(978) 667-3805 (978) 663-9782

www.epotek.com, SDS@epotek.com

Emergency telephone number

Emergency telephone ChemTel: +1 (800) 255-3924, +1 (813) 248-0585

2. Hazard(s) identification

Classification of the substance or mixture

Physical hazards Not Classified

Health hazards Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317 Repr. 1B - H360Df

Environmental hazards Aquatic Chronic 2 - H411

Label elements

Hazard symbols









Signal word

Hazard statements H315 Causes skin irritation.

H318 Causes serious eye damage. H317 May cause an allergic skin reaction.

H360Df May damage the unborn child. Suspected of damaging fertility.

H411 Toxic to aquatic life with long lasting effects.

Data is subject to change without notice.





Manufacturer:

Epoxy Technology

Product Name:

EPO-TEK® HYB-353ND High Temperature Epoxy, Hybrid Heat & UV Cure - Pre-Mixed and Frozen (3cc Syringe)

Manufacturer Part Number:

ETHYB-353ND-3CC

 $Click here for more details on the EPO-TEK ^{\circ} HYB-353ND High Temperature Epoxy, Hybrid Heat \& UV Cure - Pre-Mixed and Frozen (3cc Syringe)$

Revision date: 4/28/2020 Revision: 2 Supersedes date: 12/15/2016

EPO-TEK® HYB-353ND PMF Syringe

Precautionary statements P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P302+P352 If on skin: Wash with plenty of water.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P308+P313 If exposed or concerned: Get medical advice/ attention.
P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.
P501 Dispose of contents/ container in accordance with national regulations.

Contains Epoxy Phenol Novolac, Specialty Acrylate Blend, Substituted Imidazole Blend, Imidazole,

Photoinitiator

Other hazards

Hazards not otherwise classified (HNOC) Contains epoxy constituents. May produce an allergic reaction.

3. Composition/information on ingredients

Mixtures

Epoxy Phenol Novolac CAS number: 9003-36-5 60-100%

10-30%

5-10%

Classification Skin Irrit. 2 - H315 Eye Irrit. 2A - H319 Skin Sens. 1 - H317 Aquatic Chronic 2 - H411

Specialty Acrylate Blend

CAS number: Proprietary

Classification

Skin Sens. 1 - H317

Substituted Imidazole Blend

CAS number: Proprietary

Classification Acute Tox. 4 - H302

Skin Irrit. 2 - H315 Eye Dam. 1 - H318

Imidazole

1-5%

Classification

Acute Tox. 4 - H302 Skin Corr. 1C - H314

CAS number: 288-32-4

Eye Dam. 1 - H318 Repr. 1B - H360D

Data is subject to change witnout notice.





Manufacturer:

Epoxy Technology

Product Name:

EPO-TEK® HYB-353ND High Temperature Epoxy, Hybrid Heat & UV Cure - Pre-Mixed and Frozen (3cc Syringe)

Manufacturer Part Number:

ETHYB-353ND-3CC

Click here for more details on the EPO-TEK® HYB-353ND High Temperature Epoxy, Hybrid Heat & UV Cure - Pre-Mixed and Frozen (3cc Syringe)

Revision date: 4/28/2020 Revision: 2 Supersedes date: 12/15/2016

EPO-TEK® HYB-353ND PMF Syringe

Photoinitiator	<1%
CAS number: Proprietary	
Classification Repr. 2 - H361f	

The full text for all hazard statements is displayed in Section 16.

4. First-aid measures

Description of first aid measures

Inhalation Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical

attention if any discomfort continues

Ingestion Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse

mouth thoroughly with water. Get medical attention if any discomfort continues.

Skin Contact Remove affected person from source of contamination. Remove contaminated clothing. Wash

skin thoroughly with soap and water. Get medical attention if any discomfort continues.

Eye contact Remove affected person from source of contamination. Remove any contact lenses and open evelids wide apart. Continue to rinse for at least 15 minutes and get medical attention.

Most important symptoms and effects, both acute and delayed

General information May damage fertility or the unborn child.

Inhalation Gas or vapor in high concentrations may irritate the respiratory system. Inhalation of dust

during cutting, grinding or sanding operations involving this product may cause irritation of the

respiratory tract.

Ingestion May cause discomfort if swallowed.

Skin contact Causes skin irritation. May cause an allergic skin reaction. May cause sensitisation by skin

contact.

Eye contact Causes serious eye damage.

Indication of immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Dry chemicals. Foam. Carbon dioxide (CO2)

Special hazards arising from the substance or mixture

Hazardous combustion Thermal decomposition or combustion products may include the following substances:

products Carbon dioxide (CO2). Carbon monoxide (CO).

Advice for firefighters

firefighting

Protective actions during Avoid breathing fire gases or vapors. Use water to keep fire exposed containers cool and

disperse vapors

Special protective equipment Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective for firefighters clothing.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Data is subject to change without notice.





Manufacturer:

Epoxy Technology

Product Name:

EPO-TEK® HYB-353ND High Temperature Epoxy, Hybrid Heat & UV Cure - Pre-Mixed and Frozen (3cc Syringe)

Manufacturer Part Number:

ETHYB-353ND-3CC

Click here for more details on the EPO-TEK® HYB-353ND High Temperature Epoxy, Hybrid Heat & UV Cure - Pre-Mixed and Frozen (3cc Syringe)

Revision date: 4/28/2020 Revision: 2 Supersedes date: 12/15/2016

EPO-TEK® HYB-353ND PMF Syringe

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet. Keep

unnecessary and unprotected personnel away from the spillage. Avoid contact with skin and

eves.

Environmental precautions

Environmental precautions Avoid discharge to the aquatic environment.

Methods and material for containment and cleaning up

Methods for cleaning up Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into

containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering

drains, sewers or watercourses.

Reference to other sections For personal protection, see Section 8.

7. Handling and storage

Precautions for safe handling

Usage precautions Handle all packages and containers carefully to minimize spills. Avoid contact with skin and

eyes. Wear protective clothing as described in Section 8 of this safety data sheet.

Advice on general occupational hygiene Provide eyewash station. Do not eat, drink or smoke when using this product. Wash promptly with soap and water if skin becomes contaminated. Wash after use and before eating, smoking and using the toilet. Wash contaminated clothing before reuse. Use appropriate skin cream to prevent drying of skin.

Conditions for safe storage, including any incompatibilities

Storage precautions Store at -40°C. Keep container tightly sealed when not in use.

Storage class Chemical storage.

Specific end uses(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.

8. Exposure controls/Personal protection

Ingredient comments No exposure limits known for ingredient(s).

Exposure controls

Protective equipment





Appropriate engineering

Provide adequate general and local exhaust ventilation. Avoid inhalation of vapors.

Eye/face protection Wear tight-fitting, chemical splash goggles or face shield.

Hand protection It is recommended that chemical-resistant, impervious gloves are worn.

Other skin and body protection Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures Provide eyewash station. Do not smoke in work area. Wash at the end of each work shift and

before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat,

drink or smoke

Data is subject to change without notice.







Manufacturer:

Epoxy Technology

Product Name:

EPO-TEK® HYB-353ND High Temperature Epoxy, Hybrid Heat & UV Cure - Pre-Mixed and Frozen (3cc Syringe)

Manufacturer Part Number:

ETHYB-353ND-3CC

 $Click here for more details on the EPO-TEK ^{\circ} HYB-353ND High Temperature Epoxy, Hybrid Heat \& UV Cure - Pre-Mixed and Frozen (3cc Syringe)$

Revision date: 4/28/2020 Revision: 2 Supersedes date: 12/15/2016

EPO-TEK® HYB-353ND PMF Syringe

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance Liquid.

Color Colorless to pale yellow.

Odor Mild.

 Odor threshold
 No specific test data are available.

 pH
 No specific test data are available.

 Melting point
 No specific test data are available.

 Initial boiling point and range
 No specific test data are available.

Flash point > 93°C
Evaporation rate < BuAc

Evaporation factor No specific test data are available.

Flammability (solid, gas) No specific test data are available.

Upper/lower flammability or No specific test data are available.

explosive limits

Vapor pressure No specific test data are available.

Vapor density > 1

Relative density

Bulk density

No specific test data are available.

Solubility(ies)

No specific test data are available.

Partition coefficient

No specific test data are available.

Auto-ignition temperature

No specific test data are available.

Decomposition Temperature

No specific test data are available.

Viscosity

No specific test data are available.

Other information None.

10. Stability and reactivity

Reactivity The following materials may react with the product: Strong oxidizing agents. Strong reducing

agents.

Stability Stable at normal ambient temperatures and when used as recommended.

Possibility of hazardous

reactions

May polymerize.

Conditions to avoid Avoid excessive heat for prolonged periods of time.

Materials to avoid Strong oxidizing agents. Strong reducing agents.

Data is subject to change without notice.





Manufacturer:

Epoxy Technology

Product Name:

EPO-TEK® HYB-353ND High Temperature Epoxy, Hybrid Heat & UV Cure - Pre-Mixed and Frozen (3cc Syringe)

Manufacturer Part Number:

ETHYB-353ND-3CC

Click here for more details on the EPO-TEK® HYB-353ND High Temperature Epoxy, Hybrid Heat & UV Cure - Pre-Mixed and Frozen (3cc Syringe)

Revision date: 4/28/2020 Revision: 2 Supersedes date: 12/15/2016

EPO-TEK® HYB-353ND PMF Syringe

Hazardous decomposition Thermal decomposition or combustion products may include the following substances:

products Carbon monoxide (CO). Carbon dioxide (CO2).

11. Toxicological information

Information on toxicological effects

Acute toxicity - oral

ATE oral (mg/kg) 5,764.05

General information Possible risk of adverse reproductive effects. May damage fertility or the unborn child.

Inhalation May cause respiratory irritation. Inhalation of dust during cutting, grinding or sanding

operations involving this product may cause irritation of the respiratory tract.

Ingestion May cause discomfort if swallowed

Skin Contact Causes skin irritation. May cause an allergic skin reaction. May cause sensitisation by skin

contact.

Eye contact Causes serious eye damage.

12. Ecological information

Ecotoxicity Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Acute aquatic toxicity

Acute toxicity - fish Not available

Persistence and degradability

Persistence and degradability There are no data on the degradability of this product.

Bioaccumulative potential

Bio-Accumulative Potential No data available on bioaccumulation

Partition coefficient No specific test data are available.

Mobility in soil

Mobility No data available

Other adverse effects

Other adverse effects Not known.

13. Disposal considerations

Waste treatment methods

General information Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority.

14. Transport information

UN Number

UN No. (TDG) 3082 UN No. (IMDG) 3082 UN No. (ICAO) 3082 UN No. (DOT) UN3082

Data is subject to change without notice.





Manufacturer:

Epoxy Technology

Product Name:

EPO-TEK® HYB-353ND High Temperature Epoxy, Hybrid Heat & UV Cure - Pre-Mixed and Frozen (3cc Syringe)

Manufacturer Part Number:

ETHYB-353ND-3CC



Click here for more details on the EPO-TEK® HYB-353ND High Temperature Epoxy, Hybrid Heat & UV Cure - Pre-Mixed and Frozen (3cc Syringe)

Revision date: 4/28/2020 Revision: 2 Supersedes date: 12/15/2016

EPO-TEK® HYB-353ND PMF Syringe

UN proper shipping name

Proper shipping name (TDG) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS Epoxy

Phenol Novolac)

Proper shipping name (IMDG) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS Epoxy

Phenol Novolac)

Proper shipping name (ICAO) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS Epoxy

Phenol Novolac)

Proper shipping name (DOT) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS Epoxy

Phenol Novolac)

Transport hazard class(es)

DOT hazard class 9 DOT hazard label 9 TDG class 9 TDG label(s) 9 IMDG Class 9 ICAO class/division

Transport labels



DOT transport labels



Packing group

TDG Packing Group Ш IMDG packing group Ш ICAO packing group Ш DOT packing group Ш

Environmental hazards

Environmentally Hazardous Substance



Special precautions for user

EmS F-A, S-F

RQ: Acrylic acid (38596105.267 lbs) DOT reportable quantity

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78

and the IBC Code

Data is subject to change without notice.





Manufacturer:

Epoxy Technology

Product Name:

EPO-TEK® HYB-353ND High Temperature Epoxy, Hybrid Heat & UV Cure - Pre-Mixed and Frozen (3cc Syringe)

Manufacturer Part Number:

ETHYB-353ND-3CC

Click here for more details on the EPO-TEK® HYB-353ND High Temperature Epoxy, Hybrid Heat & UV Cure - Pre-Mixed and Frozen (3cc Syringe)

Revision date: 4/28/2020 Supersedes date: 12/15/2016

EPO-TEK® HYB-353ND PMF Syringe

15. Regulatory information

Regulatory References Proprietary information protected pursuant to WTO's Agreement on Trade-Related Aspects of

Intellectual Property Rights (TRIPS), Section 7, Art. 39.

US Federal Regulations

SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities

None of the ingredients are required to be listed.

CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

None of the ingredients are required to be listed

SARA Extremely Hazardous Substances EPCRA Reportable Quantities

None of the ingredients are required to be listed.

SARA 313 Emission Reporting

None of the ingredients are required to be listed.

CAA Accidental Release Prevention

None of the ingredients are required to be listed.

OSHA Highly Hazardous Chemicals

None of the ingredients are required to be listed.

US State Regulations

California Proposition 65 Carcinogens and Reproductive Toxins

None of the ingredients are required to be listed.

California Air Toxics "Hot Spots" (A-I)

None of the ingredients are required to be listed

California Air Toxics "Hot Spots" (A-II) None of the ingredients are required to be listed.

Massachusetts "Right To Know" List

None of the ingredients are required to be listed.

Rhode Island "Right To Know" List None of the ingredients are required to be listed.

Minnesota "Right To Know" List

None of the ingredients are required to be listed.

New Jersey "Right To Know" List

None of the ingredients are required to be listed.

Pennsylvania "Right To Know" List

None of the ingredients are required to be listed

Inventories

EU - EINECS/ELINCS

Some of the ingredients are listed or exempt.

Canada - DSL/NDSL

All the ingredients are listed or exempt.

Data is subject to change without notice.





Manufacturer:

Epoxy Technology

Product Name:

EPO-TEK® HYB-353ND High Temperature Epoxy, Hybrid Heat & UV Cure - Pre-Mixed and Frozen (3cc Syringe)

Manufacturer Part Number:

ETHYB-353ND-3CC

Click here for more details on the EPO-TEK® HYB-353ND High Temperature Epoxy, Hybrid Heat & UV Cure - Pre-Mixed and Frozen (3cc Syringe)

Revision date: 4/28/2020 Revision: 2 Supersedes date: 12/15/2016

EPO-TEK® HYB-353ND PMF Syringe

US - TSCA

All the ingredients are listed or exempt.

US - TSCA 12(b) Export Notification

None of the ingredients are listed or exempt.

Australia - AICS

All the ingredients are listed or exempt.

Japan - ENCS

Some of the ingredients are listed or exempt.

Korea - KECI

All the ingredients are listed or exempt.

China - IECSC

All the ingredients are listed or exempt.

Philippines - PICCS

All the ingredients are listed or exempt.

16. Other information

 Revision date
 4/28/2020

 Revision
 2

 Supersedes date
 12/15/2016

Hazard statements in full H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H360D May damage the unborn child.

H360Df May damage the unborn child. Suspected of damaging fertility.

H361f Suspected of damaging fertility.

H411 Toxic to aquatic life with long lasting effects.

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Epoxy Technology, Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Epoxy Technology, Inc. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Data is subject to change without notice.



