

**Manufacturer:** 

**Epoxy Technology** 

**Product Name:** 

EPO-TEK® OD2002 High Tg, High Temperature Epoxy, Heat Cure (2.5g)

**Manufacturer Part Number:** 

OD2002-2.5G

Click here for more details on the EPO-TEK® OD2002 High Tg, High Temperature Epoxy, Heat Cure (2.5g)

Revision date: 7/20/2021

Supersedes date: 10/30/2020



## SAFETY DATA SHEET EPO-TEK® OD2002 Part B

1. Identification

Product identifier

Product name EPO-TEK® OD2002 Part B

Product number OD2002/B

Recommended use of the chemical and restrictions on use

Application Adhesive.

Uses advised against Restricted to professional users. Use only for intended applications.

Details of the supplier of the safety data sheet

Supplier Epoxy Technology, Inc.

14 Fortune Drive Billerica, MA 01821

USA

(978) 667-3805 (978) 663-9782

www.epotek.com, SDS@epotek.com

Emergency telephone number

Emergency telephone ChemTel: +1 (800) 255-3924, +1 (813) 248-0585

2. Hazard(s) identification

Classification of the substance or mixture

Physical hazards Not Classified

Health hazards Acute Tox. 4 - H302 Skin Corr. 1C - H314 Eye Dam. 1 - H318 Repr. 1B - H360D

Environmental hazards Not Classified

Label elements

Hazard symbols







Signal word

\_\_\_\_\_

Hazard statements H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H360D May damage the unborn child.





## **Manufacturer:**

**Epoxy Technology** 

### **Product Name:**

EPO-TEK® OD2002 High Tg, High Temperature Epoxy, Heat Cure (2.5g)

## **Manufacturer Part Number:**

OD2002-2.5G

Click here for more details on the EPO-TEK® OD2002 High Tg, High Temperature Epoxy, Heat Cure (2.5g)

Revision date: 7/20/2021 Supersedes date: 10/30/2020

#### EPO-TEK® OD2002 Part B

Precautionary statements P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/ shower.

P304+P340 If inhaled: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P501 Dispose of contents/ container in accordance with national regulations.

Contains Substituted Imidazole Blend, Imidazole

#### 3. Composition/information on ingredients

#### Mixtures

Substituted Imidazole Blend	60-100%	
CAS number: Proprietary		
Classification		
Acute Tox. 4 - H302		
Skin Irrit. 2 - H315		
Eye Dam. 1 - H318		

Imidazole 30-60%

CAS number: 288-32-4

## Classification

Acute Tox. 4 - H302 Skin Corr. 1C - H314 Eye Dam. 1 - H318 Repr. 1B - H360D

The full text for all hazard statements is displayed in Section 16.

## 4. First-aid measures

#### Description of first aid measures

General information Restricted to professional users. Pregnant or breastfeeding women should not work with this

product if there is any risk of exposure.

Inhalation Move affected person to fresh air at once. Get medical attention. Move affected person to

fresh air and keep warm and at rest in a position comfortable for breathing. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen.

Ingestion Do not induce vomiting. Never give anything by mouth to an unconscious person. Do not

induce vomiting. Remove affected person from source of contamination. Give plenty of water to drink. Get medical attention immediately. Move affected person to fresh air and keep warm

and at rest in a position comfortable for breathing.

Skin Contact Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical

attention if irritation persists after washing.

Eye contact Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15

minutes. Continue to rinse for at least 15 minutes. Get medical attention promptly if symptoms

occur after washing.

Most important symptoms and effects, both acute and delayed







## **Manufacturer:**

**Epoxy Technology** 

### **Product Name:**

EPO-TEK® OD2002 High Tg, High Temperature Epoxy, Heat Cure (2.5g)

## **Manufacturer Part Number:**

OD2002-2.5G

Click here for more details on the EPO-TEK® OD2002 High Tq, High Temperature Epoxy, Heat Cure (2.5q)

Revision date: 7/20/2021 Supersedes date: 10/30/2020

EPO-TEK® OD2002 Part B

Inhalation Gas or vapor in high concentrations may irritate the respiratory system. Inhalation of dust

during cutting, grinding or sanding operations involving this product may cause irritation of the

respiratory tract.

Ingestion Harmful if swallowed. May cause stomach pain or vomiting. May cause chemical burns in

mouth, esophagus and stomach.

Skin contact Causes severe burns. Eye contact Causes serious eye damage.

Indication of immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Extinguish with the following media: Dry chemicals. Foam. Water spray.

Special hazards arising from the substance or mixture

Hazardous combustion

products

Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and

other toxic gases or vapors.

Advice for firefighters

Special protective equipment Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid inhalation of vapors and contact with skin and eyes. Do not touch or walk into spilled

material. Keep unnecessary and unprotected personnel away from the spillage. Wear

protective clothing as described in Section 8 of this safety data sheet.

**Environmental precautions** 

Environmental precautions Avoid release to the environment

Methods and material for containment and cleaning up

Methods for cleaning up Collect and place in suitable waste disposal containers and seal securely

Reference to other sections For personal protection, see Section 8.

7. Handling and storage

Precautions for safe handling

Pregnant or breastfeeding women should not work with this product if there is any risk of Usage precautions

exposure. Eye wash facilities and emergency shower must be available when handling this product. Handle all packages and containers carefully to minimize spills. Avoid inhalation of vapors/spray and contact with skin and eyes. Wear protective clothing as described in Section

8 of this safety data sheet

Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Advice on general occupational hygiene Wash promptly if skin becomes contaminated. Wash contaminated clothing before reuse.

Conditions for safe storage, including any incompatibilities

Storage precautions Store at room temperature. Keep container tightly sealed when not in use. Do not store near

heat sources or expose to high temperatures.







## **Manufacturer:**

**Epoxy Technology** 

## **Product Name:**

EPO-TEK® OD2002 High Tg, High Temperature Epoxy, Heat Cure (2.5g)

### **Manufacturer Part Number:**

OD2002-2.5G

Click here for more details on the EPO-TEK® OD2002 High Tg, High Temperature Epoxy, Heat Cure (2.5g)

Revision date: 7/20/2021 Supersedes date: 10/30/2020 EPO-TEK® OD2002 Part B Specific end uses(s) Specific end use(s) The identified uses for this product are detailed in Section 1. 8. Exposure controls/Personal protection Ingredient comments No exposure limits known for ingredient(s). Exposure controls Provide adequate general and local exhaust ventilation. Personal protection Restricted to professional users. Pregnant or breastfeeding women should not work with this product if there is any risk of exposure. Wear tight-fitting, chemical splash goggles or face shield. Eye/face protection Hand protection It is recommended that chemical-resistant, impervious gloves are worn. Other skin and body Wear appropriate clothing to prevent any possibility of liquid contact and repeated or protection prolonged vapor contact. Hygiene measures Do not smoke in work area. Wash at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Wash promptly with soap and water if skin becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke. Respiratory protection If ventilation is inadequate, suitable respiratory protection must be worn. 9. Physical and chemical properties Information on basic physical and chemical properties Appearance Liquid. Color Amber. Mild. Odor threshold No specific test data are available. No specific test data are available. Melting point No specific test data are available. Initial boiling point and range No specific test data are available. Flash point > 93°C Evaporation rate <BuAc Evaporation factor No specific test data are available. Flammability (solid, gas) No specific test data are available. Upper/lower flammability or No specific test data are available. explosive limits Vapor pressure No specific test data are available. Vapor density







## Manufacturer:

**Epoxy Technology** 

## **Product Name:**

EPO-TEK® OD2002 High Tg, High Temperature Epoxy, Heat Cure (2.5g)

## **Manufacturer Part Number:**

OD2002-2.5G

Click here for more details on the EPO-TEK® OD2002 High Tg, High Temperature Epoxy, Heat Cure (2.5g)

Revision date: 7/20/2021	Supersedes date: 10/30/20
	EPO-TEK® OD2002 Part B
Relative density	No specific test data are available.
Solubility(ies)	Slightly soluble in water.
Partition coefficient	No specific test data are available.
Auto-ignition temperature	No specific test data are available.
Decomposition Temperature	No specific test data are available.
Viscosity	No specific test data are available.
Other information	None.
10. Stability and reactivity	
Reactivity	The following materials may react violently with the product: Acids. Alkalis. Oxidizing materials. Strong reducing agents.
Stability	Stable at normal ambient temperatures and when used as recommended.
Possibility of hazardous reactions	Will not polymerize.
Conditions to avoid	Avoid excessive heat for prolonged periods of time. Avoid heat, flames and other sources of ignition.
Materials to avoid	Strong oxidizing agents. Strong alkalis. Strong acids. Strong reducing agents.
Hazardous decomposition products	Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.
11. Toxicological information	
Information on toxicological ef	fects
Acute toxicity - oral ATE oral (mg/kg)	500.24
General information	Possible risk of adverse reproductive effects.
Inhalation	Inhalation of dust during cutting, grinding or sanding operations involving this product may cause irritation of the respiratory tract. Gas or vapor in high concentrations may irritate the respiratory system.
Inhalation	cause irritation of the respiratory tract. Gas or vapor in high concentrations may irritate the
	cause irritation of the respiratory tract. Gas or vapor in high concentrations may irritate the respiratory system.  Harmful if swallowed. May cause chemical burns in mouth, esophagus and stomach. May
Ingestion	cause irritation of the respiratory tract. Gas or vapor in high concentrations may irritate the respiratory system.  Harmful if swallowed. May cause chemical burns in mouth, esophagus and stomach. May cause stomach pain or vomiting.
Ingestion Skin Contact	cause irritation of the respiratory tract. Gas or vapor in high concentrations may irritate the respiratory system.  Harmful if swallowed. May cause chemical burns in mouth, esophagus and stomach. May cause stomach pain or vomiting.  Causes severe burns.
Ingestion Skin Contact Eye contact	cause irritation of the respiratory tract. Gas or vapor in high concentrations may irritate the respiratory system.  Harmful if swallowed. May cause chemical burns in mouth, esophagus and stomach. May cause stomach pain or vomiting.  Causes severe burns.
Ingestion Skin Contact Eye contact 12. Ecological information Acute aquatic toxicity	cause irritation of the respiratory tract. Gas or vapor in high concentrations may irritate the respiratory system.  Harmful if swallowed. May cause chemical burns in mouth, esophagus and stomach. May cause stomach pain or vomiting.  Causes severe burns.  Causes serious eye damage.





## **Manufacturer:**

**Epoxy Technology** 

## **Product Name:**

EPO-TEK® OD2002 High Tg, High Temperature Epoxy, Heat Cure (2.5g)

## **Manufacturer Part Number:**

OD2002-2.5G

Click here for more details on the EPO-TEK® OD2002 High Tg, High Temperature Epoxy, Heat Cure (2.5g)

Revision date: 7/20/2021 Supersedes date: 10/30/2020 EPO-TEK® OD2002 Part B Bioaccumulative potential Bio-Accumulative Potential The product contains potentially bioaccumulating substances Partition coefficient No specific test data are available. Mobility in soil The product contains substances which may accumulate in sediment. Other adverse effects Other adverse effects Not known. 13. Disposal considerations Waste treatment methods Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. 14. Transport information **UN Number** UN No. (TDG) 3267 UN No. (IMDG) 3267 UN No. (ICAO) 3267 UN No. (DOT) UN3267 UN proper shipping name Proper shipping name (TDG) CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (CONTAINS Imidazole) Proper shipping name (IMDG) CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (CONTAINS Imidazole) Proper shipping name (ICAO) CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (CONTAINS Imidazole) Proper shipping name (DOT) CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (CONTAINS Imidazole) Transport hazard class(es) DOT hazard class DOT hazard label 8 TDG class TDG label(s) IMDG Class 8 ICAO class/division Transport labels DOT transport labels





## Manufacturer:

**Epoxy Technology** 

## **Product Name:**

EPO-TEK® OD2002 High Tg, High Temperature Epoxy, Heat Cure (2.5g)

## **Manufacturer Part Number:**

OD2002-2.5G

Click here for more details on the EPO-TEK® OD2002 High Tg, High Temperature Epoxy, Heat Cure (2.5g)

Revision date: 7/20/2021 Supersedes date: 10/30/2020

#### EPO-TEK® OD2002 Part B

TDG Packing Group III
IMDG packing group III
ICAO packing group III
DOT packing group III

Environmental hazards

**Environmentally Hazardous Substance** 

No.

Special precautions for user

IMDG Code segregation

group

18. Alkalis

EmS F-A, S-B

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

#### 15. Regulatory information

Regulatory References Proprietary information protected pursuant to WTO's Agreement on Trade-Related Aspects of

Intellectual Property Rights (TRIPS), Section 7, Art. 39.

Additional Regulatory References Proprietäre Informationen gemäß den WTO-Übereinkommen über handelsbezogene Aspekte

des geistigen Eigentum Rechte (TRIPS), Abschnitt 7, Art geschützt. 39.

#### **US Federal Regulations**

SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities

None of the ingredients are required to be listed.

## CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

None of the ingredients are required to be listed.

#### SARA Extremely Hazardous Substances EPCRA Reportable Quantities

None of the ingredients are required to be listed.

#### SARA 313 Emission Reporting

None of the ingredients are required to be listed.

## CAA Accidental Release Prevention

None of the ingredients are required to be listed.

#### **OSHA Highly Hazardous Chemicals**

None of the ingredients are required to be listed.

#### **US State Regulations**

#### California Proposition 65 Carcinogens and Reproductive Toxins

None of the ingredients are required to be listed.

## California Air Toxics "Hot Spots" (A-I)

None of the ingredients are required to be listed.







## **Manufacturer:**

**Epoxy Technology** 

## **Product Name:**

EPO-TEK® OD2002 High Tg, High Temperature Epoxy, Heat Cure (2.5g)

## **Manufacturer Part Number:**

OD2002-2.5G

Click here for more details on the EPO-TEK® OD2002 High Tg, High Temperature Epoxy, Heat Cure (2.5g)

Supersedes date: 10/30/2020

#### EPO-TEK® OD2002 Part B

#### California Air Toxics "Hot Spots" (A-II)

Revision date: 7/20/2021

None of the ingredients are required to be listed.

#### Massachusetts "Right To Know" List

None of the ingredients are required to be listed.

#### Rhode Island "Right To Know" List

None of the ingredients are required to be listed.

#### Minnesota "Right To Know" List

None of the ingredients are required to be listed.

#### New Jersey "Right To Know" List

None of the ingredients are required to be listed.

#### Pennsylvania "Right To Know" List

None of the ingredients are required to be listed.

#### Inventories

#### **EU - EINECS/ELINCS**

All the ingredients are listed or exempt.

#### Canada - DSL/NDSL

All the ingredients are listed or exempt.

All the ingredients are listed or exempt.

# US - TSCA 12(b) Export Notification

None of the ingredients are listed.

All the ingredients are listed or exempt.

## Japan - ENCS

All the ingredients are listed or exempt.

#### Korea - KECI

All the ingredients are listed or exempt.

## China - IECSC

All the ingredients are listed or exempt.

#### Philippines - PICCS

All the ingredients are listed or exempt.

#### 16. Other information

Revision date 7/20/2021 Supersedes date 10/30/2020

Hazard statements in full H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation. H318 Causes serious eye damage. H360D May damage the unborn child.





**Manufacturer:** Epoxy Technology

**Product Name:** 

EPO-TEK® OD2002 High Tg, High Temperature Epoxy, Heat Cure (2.5g)

**Manufacturer Part Number:** 

OD2002-2.5G

Click here for more details on the EPO-TEK® OD2002 High Tg, High Temperature Epoxy, Heat Cure (2.5g)

Revision date: 7/20/2021

Supersedes date: 10/30/2020

EPO-TEK® OD2002 Part B

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or represention is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

