

# **Manufacturer:**

**Epoxy Technology** 

### **Product Name:**

EPO-TEK® OG116-31 High Tg Epoxy, UV & Heat Cure (3cc Syringe)

### **Manufacturer Part Number:**

OG116-31-3CC

Click here for more details on the EPO-TEK® OG116-31 High Tg Epoxy, UV & Heat Cure (3cc Syringe)



#### SAFETY DATA SHEET EPO-TEK OG116-31

#### 1. Identification

Product identifier

Product name EPO-TEK OG116-31

Product number OG116-31

Recommended use of the chemical and restrictions on use

Application Adhesive.

#### Details of the supplier of the safety data sheet

Supplier Epoxy Technology, Inc. 14 Fortune Drive

> Billerica, MA 01821 USA (978) 667-3805 (978) 663-9782 www.epotek.com

Emergency telephone number

Emergency telephone +1 (800) 255-3924, +1 (813) 248-0585

#### 2. Hazard(s) identification

#### Classification of the substance or mixture

Physical hazards Not Classified

Health hazards Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317

Environmental hazards Aquatic Chronic 2 - H411

### Label elements Pictogram







#### Signal word Dange

Hazard statements H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 If on skin: Wash with plenty of water.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.
P501 Dispose of contents/container in accordance with national regulations.

 $Data\ is\ subject\ to\ change\ without\ notice.$ 



### Contact the professionals at Fiber Optic Center for a quote or to get more details.



# Manufacturer:

**Epoxy Technology** 

### **Product Name:**

EPO-TEK® OG116-31 High Tg Epoxy, UV & Heat Cure (3cc Syringe)

# **Manufacturer Part Number:**

OG116-31-3CC

Click here for more details on the EPO-TEK® OG116-31 High Tg Epoxy, UV & Heat Cure (3cc Syringe)

Revision date: 12/11/2015	Revision: 2	Supersedes date: 11/4/2014
	EPO-TEK OG116-31	
Contains	Epoxy Resin Blend, Reactive Diluent	
Other hazards		
Harmful dust may be release	d during cutting or grinding process.	
3. Composition/information o	n ingredients	
Mixtures		
Epoxy Resin Blend		60-100%
CAS number: Proprietary		
Classification	·	
Skin Irrit. 2 - H315		
Eye Irrit. 2 - H319		
Skin Sens. 1 - H317		
Aquatic Chronic 2 - H411		
Reactive Diluent		5-10%
CAS number: Proprietary		
Classification		
Acute Tox. 4 - H302		
Acute Tox. 4 - H312		
Acute Tox. 4 - H332		
Skin Irrit. 2 - H315 Eye Dam. 1 - H318		
Skin Sens. 1 - H317		
Dihydroxy Alcohol		1-5%
CAS number: Proprietary		
Classification		
Skin Irrit. 2 - H315		
Eye Irrit. 2 - H319		
STOT SE 3 - H335		
	Statements are Displayed in Section 16.	
4. First-aid measures		
Description of first aid measu		
Inhalation	Move affected person to fresh air at once. Rinse nose and n attention if any discomfort continues.	nouth with water. Get medical
Ingestion	Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.	
Skin Contact	Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues.	
Eye contact	Remove affected person from source of contamination. Ren eyelids wide apart. Continue to rinse for at least 15 minutes	
Most important symptoms an	d effects, both acute and delayed	







### Manufacturer:

**Epoxy Technology** 

### **Product Name:**

EPO-TEK® OG116-31 High Tg Epoxy, UV & Heat Cure (3cc Syringe)

# **Manufacturer Part Number:**

OG116-31-3CC

Click here for more details on the EPO-TEK® OG116-31 High Tg Epoxy, UV & Heat Cure (3cc Syringe)

Revision date: 12/11/2015	Revision: 2	Supersedes date: 11/4/2014
	EPO-TEK OG116-31	
Inhalation	Gas or vapor in high concentrations may irritate the respiratory system. Inhalation of dust during cutting, grinding or sanding operations involving this product may cause irritation of the respiratory tract.	
Ingestion	May cause discomfort if swallowed.	
Skin contact	Skin irritation. Allergic rash.	
Eye contact	Causes serious eye damage.	
Indication of immediate medic	al attention and special treatment needed	
Notes for the doctor	Treat symptomatically.	
5.Fire-fighting measures		
Extinguishing media		
Suitable extinguishing media	Extinguish with the following media: Dry chemicals. Foam.	Carbon dioxide (CO2).
Special hazards arising from t	he substance or mixture	
Hazardous combustion products	Oxides of carbon. Thermal decomposition or combustion n other toxic gases or vapors.	nay liberate carbon oxides and
Advice for firefighters		
Protective actions during firefighting	Avoid breathing fire gases or vapors.	
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.	
6. Accidental release measure	es es	
Personal precautions, protect	ive equipment and emergency procedures	
Personal precautions	Wear protective clothing as described in Section 8 of this s	afety data sheet.
Environmental precautions		
Environmental precautions	Do not discharge into drains or watercourses or onto the grenvironment.	round. Avoid release to the
Methods and material for conf	ainment and cleaning up	
Methods for cleaning up	Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.	
Reference to other sections	For personal protection, see Section 8.	
7. Handling and storage		
Precautions for safe handling		
Usage precautions	Avoid spilling. Avoid contact with skin and eyes. Keep away from heat, sparks and open flame. Do not eat, drink or smoke when using the product. Avoid inhalation of vapors. Provide adequate ventilation.	
Conditions for safe storage, in	cluding any incompatibilities	
Storage precautions	Store at room temperature. Keep container tightly sealed when not in use.	
Storage class	Chemical storage.	
Specific end uses(s)		







#### **Manufacturer:**

**Epoxy Technology** 

### **Product Name:**

EPO-TEK® OG116-31 High Tg Epoxy, UV & Heat Cure (3cc Syringe)

#### **Manufacturer Part Number:**

OG116-31-3CC

Click here for more details on the EPO-TEK® OG116-31 High Tg Epoxy, UV & Heat Cure (3cc Syringe)

Revision date: 12/11/2015 Revision: 2 Supersedes date: 11/4/2014 EPO-TEK OG116-31 Specific end use(s) The identified uses for this product are detailed in Section 1.2. 8. Exposure Controls/personal protection Ingredient comments No exposure limits known for ingredient(s). Exposure controls Protective equipment Appropriate engineering Provide adequate general and local exhaust ventilation. controls Eye/face protection Wear tight-fitting, chemical splash goggles or face shield. Hand protection It is recommended that chemical-resistant, impervious gloves are worn. Other skin and body Wear appropriate clothing to prevent any possibility of skin contact. protection Hygiene measures Provide eyewash station. Do not smoke in work area. Wash hands at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do Respiratory protection If ventilation is inadequate, suitable respiratory protection must be worn. 9. Physical and Chemical Properties Information on basic physical and chemical properties Appearance Liquid. Color White Odor Slight. Flash point > 93°C Evaporation rate < BuAc Other information None 10. Stability and reactivity Reactivity The following materials may react with the product: Strong oxidizing agents. Stability Stable at normal ambient temperatures and when used as recommended. Possibility of hazardous Will not polymerize. reactions Conditions to avoid Avoid excessive heat for prolonged periods of time. Avoid heat, flames and other sources of ignition. Avoid contact with strong oxidizing agents. Materials to avoid Strong oxidizing agents. Data is subject to change without notice.







Revision date: 12/11/2015

#### **Manufacturer:**

**Epoxy Technology** 

#### **Product Name:**

EPO-TEK® OG116-31 High Tg Epoxy, UV & Heat Cure (3cc Syringe)

Supersedes date: 11/4/2014

#### **Manufacturer Part Number:**

OG116-31-3CC

Click here for more details on the EPO-TEK® OG116-31 High Tg Epoxy, UV & Heat Cure (3cc Syringe)

Revision: 2

EPO-TEK OG116-31 Hazardous decomposition Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2). products 11. Toxicological information Information on toxicological effects Inhalation Gas or vapor in high concentrations may irritate the respiratory system. Inhalation of dust during cutting, grinding or sanding operations involving this product may cause irritation of the respiratory tract. Ingestion May cause discomfort if swallowed. Skin Contact May cause sensitisation by skin contact. Irritating to skin. Causes serious eye damage. Eye contact 12. Ecological Information **Ecotoxicity** Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Toxicity Toxicity Very toxic to aquatic organisms. Persistence and degradability Persistence and degradability No data available. Bioaccumulative potential **Bio-Accumulative Potential** No data available on bioaccumulation. Mobility in soil Mobility Semi-mobile. Other adverse effects Other adverse effects Not known. 13. Disposal considerations Waste treatment methods Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. 14. Transport information

Contact the professionals at Fiber Optic Center for a quote or to get more details.



3082

3082

3082

UN Number
UN No. (DOT)

UN No. (IMDG)

UN No. (ICAO)



#### **Manufacturer:**

**Epoxy Technology** 

### **Product Name:**

EPO-TEK® OG116-31 High Tg Epoxy, UV & Heat Cure (3cc Syringe)

#### **Manufacturer Part Number:**

OG116-31-3CC

Click here for more details on the EPO-TEK® OG116-31 High Tg Epoxy, UV & Heat Cure (3cc Syringe)

Revision date: 12/11/2015 Revision: 2 Supersedes date: 11/4/2014

#### EPO-TEK OG116-31

UN proper shipping name

Proper shipping name (DOT) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS Epoxy

Resin Blend)

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS Epoxy

(IMDG) Resin Blend

Proper shipping name (ICAO) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS Epoxy

Resin Blend)

Transport hazard class(es)

DOT hazard class 9
DOT hazard label Class 9

IMDG Class 9
ICAO class/division 9

Transport labels



#### Packing group

DOT pack group III
IMDG packing group III
ICAO packing group III

Environmental hazards

Environmentally Hazardous Substance



#### Special precautions for user

EmS F-A, S-F

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

### 15. Regulatory information

#### US Federal Regulations

SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities None of the ingredients are required to be listed.

CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

None of the ingredients are required to be listed.

Data is subject to change without notice.

### Contact the professionals at Fiber Optic Center for a quote or to get more details.





# **Manufacturer:**

**Epoxy Technology** 

### **Product Name:**

EPO-TEK® OG116-31 High Tg Epoxy, UV & Heat Cure (3cc Syringe)

Supersedes date: 11/4/2014

#### **Manufacturer Part Number:**

OG116-31-3CC

Click here for more details on the EPO-TEK® OG116-31 High Tg Epoxy, UV & Heat Cure (3cc Syringe)

#### **EPO-TEK OG116-31**

SARA Extremely Hazardous Substances EPCRA Reportable Quantities

None of the ingredients are required to be listed.

SARA 313 Emission Reporting

Revision date: 12/11/2015

None of the ingredients are required to be listed.

CAA Accidental Release Prevention

None of the ingredients are required to be listed.

OSHA Highly Hazardous Chemicals

None of the ingredients are required to be listed.

#### US State Regulations

California Proposition 65 Carcinogens and Reproductive Toxins

None of the ingredients are required to be listed.

California Air Toxics "Hot Spots" (A-I)

None of the ingredients are required to be listed.

California Air Toxics "Hot Spots" (A-II)

None of the ingredients are required to be listed.

Massachusetts "Right To Know" List

None of the ingredients are required to be listed.

Rhode Island "Right To Know" List

The following ingredients are listed:

Dihydroxy Alcohol

Minnesota "Right To Know" List

None of the ingredients are required to be listed.

New Jersey "Right To Know" List

None of the ingredients are required to be listed.

Pennsylvania "Right To Know" List

The following ingredients are listed:

Dihydroxy Alcohol

#### Inventories

EU - EINECS/ELINCS

Some of the ingredients are listed or exempt.

Canada - DSI /NDSI

All the ingredients are listed or exempt.

All the ingredients are listed or exempt.

US - TSCA 12(b) Export Notification

None of the ingredients are listed.

Australia - AICS

Some of the ingredients are listed or exempt.

Data is subject to change without notice.



## Contact the professionals at Fiber Optic Center for a quote or to get more details.



**Manufacturer:** Epoxy Technology

**Product Name:** 

EPO-TEK® OG116-31 High Tg Epoxy, UV & Heat Cure (3cc Syringe)

**Manufacturer Part Number:** 

OG116-31-3CC

Click here for more details on the EPO-TEK® OG116-31 High Tg Epoxy, UV & Heat Cure (3cc Syringe)

EPO-TEK OG116-31

Japan - MITI

Revision date: 12/11/2015

Some of the ingredients are listed or exempt.

Korea - KECI

Some of the ingredients are listed or exempt.

China - IECSC

Some of the ingredients are listed or exempt.

Philippines - PICCS

Some of the ingredients are listed or exempt.

16. Other information

 Revision date
 12/11/2015

 Revision
 2

 Supersedes date
 11/4/2014

Hazard statements in full H302 Harmful if swallowed.
H312 Harmful in contact with skin

H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H411 Toxic to aquatic life with long lasting effects.

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Epoxy Technology, Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Epoxy Technology, Inc. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.



